



تعليمات

على الطالب مراعاة الآتي:

- 1- الامتحان يتكون من 9 صفحات تشتمل على:
 - عدد 8 صفحات أسئلة مرقمة من 1 الى 8.
 - صفحة واحدة مسودة رقم 9.
- 2- يجب التأكد من عدد الصفحات قبل البدء في الإجابة.
- 3- يجب الإجابة على كل سؤال في الجزء المخصص له ولن يلتفت الى أى إجابات في صفحة المسودة أو الأجزاء غير المخصصة له.
- 4- يجب الكتابة باللون الأزرق فقط وعدم استعمال أى أقلام ملونة أو كركتور.

خالص الأمنيات بالتوفيق

د. محمد أسعد الموافي

ANSWER THE FOLLOWING QUESTIONS:

Mark:

❖ **Question I: (20 Marks)**

Complete the missing part (المستطيل الأبيض) in the following tables:

➤ **Table A: (5 Marks)**




Student Mark:

Item of comparison:	Prokaryotic cell	Eukaryotic cell
1- Nucleus:		
2- Mitochondria:		
3- DNA:		
4- Example:		

➤ **Table B: (5 Marks)**

Student Mark:

Item of comparison:	Gram positive bacteria	Gram negative bacteria
1- Lipid content of cell wall:		
2- Outer membrane:		
3- Peptidoglycan layer:		
4- Example:		

Mansoura University 	Faculty of Pharmacy Department of Microbiology and Immunology		Biomedical Engineering Program General Microbiology and Immunology Exam (BME392) Level 300 22nd of January 2019 <u>Time allowed:</u> 2 hours	
---	--	---	--	---

➤ **Table C: (5 Marks)**

Student Mark:

Number of cycles in PCR:		
PCR step:	Temperature (°C):	Time:
• Denaturation:		
• Annealing:		
• Extension:		

➤ **Table D: (5 Marks)**

Student Mark:

Antibody:	Role:
IgA:	
IgD:	
IgM:	
IgE:	
IgG:	



❖ **Question II: (4 Marks)**

Mark:


These are different unarranged steps of cultivation of bacteria and different devices or tools that may be used in these steps in a Microbiology lab.

➤ **Unarranged steps:**

- Adjustment of pH of the medium.
- Transfer of bacteria to the medium.
- Sterilization of the medium.
- Incubation of the cultivated microorganism.
- Preparation of the medium in the suitable container.

➤ **Devices and tools:**

I)




III)






II)



IV)



<p>Mansoura University</p> 	<p>Faculty of Pharmacy Department of Microbiology and Immunology</p> 	<p>Biomedical Engineering Program General Microbiology and Immunology Exam (BME392) Level 300 22nd of January 2019 <u>Time allowed: 2 hours</u></p> 
--	--	--


➤ **Answer the following questions: (4 Marks/ One Mark each)**




- The device number III can weigh the following: (Choose one correct answer)
 - a) 3 mg b) 43 mg c) 1.05 mg d) 1.666 gram e) 1.11 gram
- Step number 3 is..... and the device or tool used in it is number
- Step number 5 is

❖ **Question III: (6 Marks/ One Mark each)**

Answer the following statements regarding microscopes using the figures provided below:

Mark:



Mansoura University 	Faculty of Pharmacy Department of Microbiology and Immunology		Biomedical Engineering Program General Microbiology and Immunology Exam (BME392) Level 300 22nd of January 2019 Time allowed: 2 hours	
---	--	---	---	---

1) Part A in microscope number I is:

- a) Illuminating source b) Camera c) Ocular lens d) Objective lens

2) Part B in microscope number III is:

- a) Illuminating source b) Camera c) Ocular lens d) Objective lens

3) Part C in microscope number III is important to:

- a) Move the stage of microscope large vertical movement.
b) Move the stage of microscope small vertical movement
c) Control the amount of light
d) Increase the contrast of the image

4) An example of inverted microscope is microscope number.....

5) An example of Bright field microscope is microscope number.....

6) An example of inverted fluorescence microscope is microscope number.....




❖ **Question IV: (20 Marks)**


Mark:



Choose the correct answer for the following statements and transfer its letter to the table below: (20 Marks/1 Mark each)

ولن يلتفت الى اى اجابات خاصة بهذا السؤال الا فقط الموجودة فى المكان المخصص لها بالجدول التالى:




Question number	Answer	Question number	Answer	Question number	Answer	Question number	Answer
1		6		11		16	
2		7		12		17	
3		8		13		18	
4		9		14		19	
5		10		15		20	

Mansoura University 	Faculty of Pharmacy Department of Microbiology and Immunology		Biomedical Engineering Program General Microbiology and Immunology Exam (BME392) Level 300 22nd of January 2019 Time allowed: 2 hours	
---	--	---	---	---

1- In phase of the growth curve, the number of cells remains constant:			
a) Stationary		b) lag	
c) Decline		d) Log	
2- The activities of immune system include:			
a) Body defense against infection		b) Absorption of food.	
c) Growth of human body		d) All the above	
3- The 2nd line of defense includes:			
a) Tears		b) Skin	
c) Hair in nose		d) Fever	
4- According to the confirmed search of your colleague Biomedical Engineer: Ahmed Rizk Mesbah, Mercury lamp is usually used as a light source for fluorescent microscope because:			
a) The major intensity of the wavelength in the emission spectrum is that of blue light.			
b) Mercury lamp is a cheap light source.			
c) Mercury lamp gives strong illumination.			
d) Mercury lamp has long half-life.			
5- Hepatitis C virus (HCV) attacks liver specifically because:			
a) HCV multiply only in liver.		b) HCV polymerase is active only in liver cells	
		c) Immune system is inactive in liver	
d) Liver cells contain specific receptors on its surface that bind with HCV.			
6- Fungi is important in production of:			
a) Milk		b) Antibodies	
c) Bread		d) Wood	
7- The following shape of fungi ”  “ is called:			
a) Yeast		b) Hypha	
		c) mycelium	
		d) Cocci	

Mansoura University 	Faculty of Pharmacy Department of Microbiology and Immunology	 Biomedical Engineering Program General Microbiology and Immunology Exam (BME392) Level 300 22nd of January 2019 <u>Time allowed:</u> 2 hours
---	--	---




8- Candida albicans is usually examined by:			
a) 10x or 40x objective lens		b) Electron microscope	
c) 100x oil immersion lens		d) 120x objective lens	
9- Viruses have the following character:			
a) Bigger size than bacteria		b) Can synthesize Protein	
c) Can generate their own energy		d) Consists of protein and nucleic acid	
10-Viruses can be cultivated using:			
a) Cell (Tissue) culture technique		b) Media for bacteria	
c) Media for viruses		d) Special media for microorganism	
11-Viruses are mainly classified according to their:			
a) Nucleic acid	b) Envelop	c) Cell wall content	d) Capsid
12-The following is used for determination of progress of treatment of HCV infection:			
a) Thermocycler only		b) Media	
c) Microscope		d) Real time PCR machine	
13-The main enzyme used in PCR reaction is:			
a) Viral RNA polymerase		b) Viral DNA polymerase	
c) Taq RNA polymerase		d) Taq DNA polymerase	
14-The ability of a thermocycler to <u>selectively</u> amplify a particular sequence of DNA is due to the presence ofin the PCR reaction:			
a) dNTPs	b) Buffer	c) DNA polymerase	d) Primers
15-The following is true regarding inverted microscope:			
a) Used in routine examination of parasites.		b) Used in cell culture technique	
c) The magnification power of objective lens could be 5x, 10x, 40x, or 100x.		d) All the above	

Mansoura University 	Faculty of Pharmacy Department of Microbiology and Immunology		Biomedical Engineering Program General Microbiology and Immunology Exam (BME392) Level 300 22nd of January 2019 <u>Time allowed: 2 hours</u>	
---	--	---	--	---

16-Cedar oil is added on slide when using oil immersion lens to:	
a) Increase the contrast	b) Avoid diffraction (انحراف) of light
c) Increase the magnification power of the lens	d) Protect the microscope user from infection
17-GFP is a.....:	
a) Fluorescent dye that gives green fluorescence	b) Fluorescent protein that gives green fluorescence
c) Fluorescent dye that is excited by green light.	d) Fluorescent protein that is excited by green light.
18-microscope is suitable for observing internal details and locomotion structures on cells:	
a) Bright field	b) Dark field
c) Phase contrast	d) Inverted
19- A fluorescent dye bound to antibody was used in the diagnosis of infection with certain virus, the following is true regarding the analysis of infection:	
a) Qualitative analysis of infection can be made by detection of fluorescence using bright field microscope.	
b) Quantitative analysis of infection can be made by detection of fluorescence using fluorometer.	
c) Quantitative analysis of infection can be made by detection of fluorescence using fluorescent microscope.	
d) The greater the detected fluorescence the lower the infection.	
20- Carrier proteins in the cell membrane is important in the following cellular transport:	
a) Simple diffusion	b) Facilitated diffusion
c) Osmosis	d) Endocytosis

Good Luck

Dr. Mohammed Asaad Elmowafy

Mansoura University 	Faculty of Pharmacy Department of Microbiology and Immunology		Biomedical Engineering Program General Microbiology and Immunology Exam (BME392) Level 300 22nd of January 2019 <u>Time allowed: 2 hours</u>	
---	--	---	--	---

Draft paper (مسودة)